



SUN BRAND

Securely *Sealing* Sentiments
An ISOCERTIFIED COMPANY

Adhesive Specialities

Manufacturer of Speciality Adhesive Tapes

TECHNICAL DATA SHEET

Product Code – AS-001-C

ACRYLIC FOAM TAPE – 0.8 mm – GREY

Description: Acrylic Foam Tape is viscoelastic in nature which gives the foam its unique characteristics of energy absorbing and stress relaxing properties. The acrylic chemistry provides outstanding durability performance. We also have special primer solution that is available at an extra cost to ensure better adhesion and bonding to the substrate.

Application: Acrylic Foam Tape provides the convenience and simplicity of a tape fastener and is ideal for use in many interior and exterior bonding applications of many similar and dissimilar as well as high and low energy surfaces. It is also used as mounting for heat sink, fan or heat spreader of IC packages & components. In many situations, they can replace rivets, spot welds, liquid adhesives and other permanent fasteners.

Application Technique: For best results, ensure the surface is clean, dry and dust free before application of the tape. Apply even and firm pressure for better adhesion results.

TECHNICAL VALUES

PROPERTIES	VALUES
Base Material	Grey Acrylic Foam
Adhesive	High Bond Acrylic
Release Liner	Red Polyethylene (PE)
Total Thickness	0.8 mm
Tensile Strength (kg/mm)	≥ 7.0 kgs/25mm
Adhesion to Steel (kg/mm)	≥ 4.0 kgs/25mm
Temperature Resistance (°C/hr.)	≥ 160°C

Storage & Shelf Life: The tape should be stored in a cool and dry place and prolonged exposure to the direct sunlight should be avoided. To obtain best performance, the product should be used within 12 months from the manufacturing date.

www.adhesivespecialities.co.in

©Adhesive Specialities

The technical values are determined by/based on standard tests. Our recommendations on the use of the product are based on reliable in-house tests, but the users are requested to conduct their own test to determine the suitability of the product. Adhesive Specialities will not be responsible for any loss or damage caused as a result of our recommendations.